

Ifu

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE



I re the application of

LILIP LAU, ANUJA PATEL

Patent No.: 7,022,063 B2

Issued: April 4, 2006

Serial No: 10/698,237

Filed: October 31, 2003

For: CARDIAC HARNESS

Examiner: Samuel G. Gilbert

Group Art Unit: 3736

Client ID/Matter No: PARCR 66289

July 17, 2006
Los Angeles, California 90045

LETTER OF RECORD

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450
Letter of Record Department

Dear Sir:

The above-identified patent application file has been found to have the errors set forth in this Letter of Record. It is requested that this Letter of Record be filed with the application file wrapper for this patent and that it thereby becomes a permanent record in that file.

The errors in the patent application file are as follows:

ERRORS

In the SPECIFICATION, in the Summary of the Invention, Column 3, Line 5,
delete "0.003 5N/cm", and insert --0.0035 N/cm--.

In the SPECIFICATION, in the Detailed Description of Preferred Embodiments:

Column 12, Line 54, delete "applicants-have", and insert --applicants have--.

Column 13, Line 44, delete "(0.165in)", and insert --(0.165 in)--.

Column 14, Line 48, delete "30min-", and insert --30 min---.

Column 15, Line 21, delete "30min-", and insert --30 min---.


Column 16, Line 33, delete "20percent", and insert --20 percent--.

Column 17, Line 43, delete "20-30percent", and insert --20-30 percent--.

A duplicate of this letter is enclosed.

Respectfully submitted,

FULWIDER PATTON LEE & UTECHT, LLP

By: 
John S. Nagy
Registration No. 30,664

JSN:he

Howard Hughes Center
6060 Center Drive, Tenth Floor
Los Angeles, CA 90045
Telephone: (310) 824-5555
Facsimile: (310) 824-9696

Customer No. 24201